Contents of Volume 38 · 1997

Acordi EB → Pereira RA
Acosta JL → del Río C
Acosta JL → Linares A
Albert K → Schlotterbeck G
Asandei AD → Percec V

Bae J-Y → Percec V
Barth P → Knörgen M
Bednarek E → Maciejewski M
Belfield KD, Zhang G: Photoinitiated cationic ring-opening polymerization of a cyclosiloxane 165
Berek D → Janco M
Blanco MD → García O
Bo Z, Zhang X, Yi X, Yang M, Shen J, Ren Y, Xi S: The synthesis of dendrimers bearing alkyl chains and their behavior at air-water interface 257
Bokaris EP: Addition polymerisation vs. ROMP on cyclic and strained olefins with the $Mo(CO)_5PPh_3$/alkylaluminums catalysts 35
Bolsinger M, Schneider HA: Poly(3,6-carbazolylmethylene)s with flourinated and non-flourinated tapered building side groups 117
Bouchal K → Valentová H
Bove L, D'Aniello C, Gorrasi G, Guadagno L, Vittoria V: Influence of ageing on the cold crystallization of glassy poly(ethyleneterephthalate) 579
Braga V → Collina G
Bu L → Mandras R
Bucio E, Burillo G: Radiation-grafting of *N,N*-dimethylaminoethylmetacrylate onto polyethylene film by preirradiation method 587
Burillo G → Bucio E
Busfield WK, Jenkins ID, Van Le P: Initiation mechanisms in radical polymerization: reaction of cyanoisopropyl radicals with styrene 149

Camargo Jr SS → Gamboa KMN
Campana Filho SP, Regiani A, Frollini E: On the stiffness of the welan chain 81
Cárdenas T. G, Salgado C. E: Metal polymers: XV. Synthesis and molecular weights of metal poly(styrene-*co*-ethyl methacrylates) 279
Chang K-H → Kim J-B
Chen C → Liu W
Chen Y-J → Mandras R
Chen Y → Liu W
Cheng HN, Gillette PC: Factor analysis in the NMR characterization of multicomponent polymers 555
Cho HN → Kim JK
Choi YJ → Kim H
Chon YS → Suh K-D
Chu H-H, Hwang H-Y: Stabilizing effect of the cationic surfactant (CPB) in emulsion polymerization 295
Chujo Y → Matsumi N
Chujo Y → Ver Avadhani C
Chung I, Kim SY: Synthesis and characterization of poly(amide imides) containing benzimidazole-rings 627
Chung S, Kim SY: Synthesis and characterization of wholly aromatic polyamides containing pendent amino and cyano groups 635
Collina G, Braga V, Sartori F: New thermoplastic polyolefins elastomers from the novel Multicatalysts Reactor Granule Technology: their relevant physical-mechanical properties after crosslinking 701
Costa MAS → Coutinho FMB
Coutin B → Gachard I
Coutinho FMB, Costa MAS, Monteiro LF, de Santa Maria LC: Effect of reaction parameters on the polymerization of methyl methacrylate with nickel acetylacetonate/methylaluminoxane 303
Coutinho FMB → Vilar WD

D'Aniello C → Bove L
Daniels ES → Nelliappan V
de Groot JH, de Vrijer R, Wildeboer BS, Spaans CS, Pennings AJ: New biomedical polyurethane ureas with high tear strengths 211
de JS. Cunha R, Gomes AS: Effect of using batch or semi-batch reactor on the chemical composition distribution of styrene-maleic anhydride-acrylonitrile terpolymers 595
de Santa Maria LC → Coutinho FMB
de Vrijer R → de Groot JH
del Río C, Acosta JL: Polyether-based ion conductors. 1. Structural and morphological characterization of precursor systems based on poly(ethylene oxide), polyphosphazene and polyepichlorhydrine 63
del Río C, Martín-Álvarez PJ, Acosta JL: Application of a mathematical model to the study of the glass transition temperature in polymer electrolyte precursor systems 353
Delgado AS → Spassky N
Dias ML → Pereira RA
Dominguez JM → Rabelero M
Doyama K → Sahara M

Dworak A: Polymerization of methyl and phenyl oxazoline initiated with carboxylic acid chlorides 7

El-Aasser MS → Nelliappan V
Endo T → Wang J

Ferreira AJB → Gamboa KMN
Fischer CH → Janco M
Fles D → Vukovic R
Froelich D → Valentová H
Frollini E → Campana Filho SP
Fujimori K → Ha NTH

Gachard I, Coutin B, Sekiguchi H: Synthesis and characterization of polyamides based on natural monomers: L-lysine and L-aspartic acid 643
Gamboa KMN, Ferreira AJB, Camargo Jr SS, Soares BG: Electrical conductivity of polystyrene/styrene-butadiene block copolymer blends containing carbon black 95
García O, Blanco MD, Gómez C, Teijón JM: Effect of the crosslinking with 1,1,1-trimethylolpropane trimethacrylate on 5-fluorouracil release from poly(2-hydroxyethyl methacrylate) hydrogels 55
Geissler U → Lynch DE
Gillette PC → Cheng HN
Goh HW → Goh SH
Goh SH, Lee SY, Goh HW, Ni X: Miscibility of polysulfone and poly(ether sulfone) with tertiary amide polymers 197
Gomes AS → de JS. Cunha R
Gómez C → García O
Gorrasi G → Bove L
Guadagno L → Bove L
Gunda T → Sipos L

Ha NTH, Fujimori K, Tucker DJ: Monomer unit sequence distribution and linkage configurations at citraconic anhydride units in the copolymers of citraconic anhydride and styrene prepared in carbon tetrachloride 569
Hadziioannou G → Kroeze E
Hamed GR → Jiang A
Hamplová V → Valentová H
Hasegawa K → Kanbara T
Hayashi T → Yoshimoto J
Heuert U → Knörgen M
Hill DH → Percec V
Hirahata W → Kakuchi T
Hong SI → Kim JK
Hwang H-Y → Chu H-H

Ikeda R, Uyama H, Kobayashi S: Poly(2,6-dihydroxy-1,4-oxyphenylene). Synthesis of a new poly(phenylene oxide) derivative 273
Ilavský M → Valentová H
Ito H → Maeda Y
Izumida R → Maeda Y

Janco M, Berek D, Önen A, Fischer CH, Yağci Y, Schnabel W: Separation of block copolymers from parent homopolymers by means of liquid chromatography at the critical adsorption point 681
Jang J → Kim H
Jenkins ID → Busfield WK
Jho JY → Lee DH
Jiang A, Hamed GR: Crosslinking of ethylene propylene diene monomer (EPDM) by buckminsterfullerene 545
Jung JC → Kim H
Jung M-H → Kim J-B

Kaga H → Kakuchi T
Kakuchi T, Hirahata W, Yano S, Kaga H: Synthesis and characterization of polyamides based on cubane-1,4-dicarboxylic acid 651
Kaminsky W → Loos J
Kanayama R → Kanbara T
Kanbara T, Kanayama R, Hasegawa K: Preparation of new redox-active polyionenes with porphyrin units in the main chain 523
Karasz FE → Vukovic R
Kašpar M → Valentová H
Katime I → Rabelero M
Kato T, Kubota Y, Uryu T: A new approach to anisotropic conductive networks. A liquid-crystalline side-chain polymer containing a thienyl moiety at the extremity of its side chain 551
Kawakami Y → Shintani K
Kedzierski M → Maciejewski M
Kennedy JP → Majoros I
Kim CY → Kim JK
Kim DY → Kim JK
Kim H, Choi YJ, Jung JC, Zin WC: Phase behaviour of poly(benzophenoneimide)s having *n*-alkyloxymethyl side chains 689
Kim H, Jang J: Synthesis and characterization of vinyl silane modified imidazole copolymer as a novel corrosion inhibitor 249
Kim J-B, Jung M-H, Chang K-H: Synthesis and polymerization of 3-(*t*-butoxycarbonyl)-1-vinyl-caprolactam and application as deep UV resists 241
Kim JK, Hong SI, Cho HN, Kim DY, Kim CY: An alternating copolymer for a blue light-emitting diode 169
Kim JY → Suh K-D
Kim M-Y → Lee J-Y
Kim SY → Chung I
Kim SY → Chung S
Kitano H → Maeda Y
Kjøniksen A-L, Nyström B, Nakken T, Palmgren O, Tande T: Effect of surfactant con-

centration, pH, and shear rate on the rheological properties of aqueous systems of a hydrophobically modified chitosan and its unmodified analogue 71
Klein A → Nelliappan V
Knörgen M, Heuert U, Schneider H, Barth P, Kuhn W: Spatially resolved and integral NMR investigation of the aging process of carbon black filled natural rubber 101
Kobayashi S → Ikeda R
Korematsu A, Li Y-J, Nakaya T: Synthesis and properties of polyurethanes containing phosphatidylcholine analogues in the main chains and long-chain alkyl groups in the side chains 133
Kroeze E, ten Brinke G, Hadziioannou G: Compatibilization of low-density polyethylene/polystyrene blends by segmented EB(PS-*block*-EB)$_n$ block copolymers 203
Kubota Y → Kato T
Kuhn W → Knörgen M
Kuraoka K → Ver Avadhani C
Kurihara A → Sahara M
Kwiatkowski J → Lynch DE

Lee DH, Jho JY: A method for determining sequence distributions in ethylene-1-butene copolymers by ^{13}C NMR 665
Lee H-J → Lee J-Y
Lee J-Y, Lee H-J: Synthesis and free radical polymerization of 4-{1′-(2″-methacryloyloxyethoxy)-5′-naphthyliminomethylidene}-4′-nitrostilbene for nonlinear optical applications 265
Lee J-Y, Lee H-J, Kim M-Y: Synthesis of sterically hindered ethyl vinyl ethers containing electron acceptors and their polymerization behaviors 27
Lee SY → Goh SH
Li RKY → Tjong SC
Li WD → Tjong SC
Li Y-J → Korematsu A
Lin Y, Yuzhong L: Electrical conductivity in iodine-doped nonconjugated polyaniline-furfural 573
Linares A, Acosta JL: Application of a statistical method to study the spherulitic growth of polymer blends 601
Liu W, Chen C, Chen Y, Xi F: Asymmetric polymerization of N-triphenylmethylmaleimide with chiral anionic initiators 509
Loos J, Schauwienold A-M, Yan S, Petermann J, Kaminsky W: Crystallization of syndiotactic polypropylene (sPP) from oriented melts 185
Lynch DE, Geissler U, Kwiatkowski J, Whittaker AK: An investigation into the synthesis of polycarbazole squaraine derivatives 493

Maciejewski M, Kedzierski M, Bednarek E: Hyperbranched phenol-formaldehyde resins 613
Maeda Y, Ito H, Izumida R, Kitano H: Enzyme-catalyzed peptide syntheses in aqueous polymer two-phase systems 49
Majoros I, Marsalkó TM, Kennedy JP: Synthesis and characterization of novel well-defined stars consisting of eight polyisobutylene arms emanating from an octa(dimethylsiloxy)octasilsesquioxane core 15
Mandras R, Bu L, Chen Y-J, Wan Y, Mays JW: Synthesis and chain flexibility of poly(cyclohexylethyl methacrylate) 235
Mano EB → Pereira RA
Marsalkó TM → Majoros I
Martín-Álvarez PJ → del Río C
Matsumi N, Chujo Y: Synthesis of novel organoboron polymers by hydroboration polymerization of bisallene compounds 531
Mays JW → Mandras R
Mendizabal E → Rabelero M
Menezes SMC → Vilar WD
Miura Y → Yamada B
Monteiro LF → Coutinho FMB
Mori A → Shintani K
Moutinho MTM → Vilar WD
Mülhaupt R → Sernetz FG
Muller R → Valentová H
Murakami A → Sahara M

Nagano Y → Yamada B
Nakamura N → Sahara M
Nakatani H, Nitta K-h, Takata T, Soga K: Polymerization of 4-*n*-alkylstyrenes with typical Ziegler–Natta and metallocene catalysts 43
Nakaya T → Korematsu A
Nakken T → Kjøniksen A-L
Nelliappan V, El-Aasser MS, Klein A, Daniels ES, Roberts JE: On the $[^{13}C]T_1\rho$ behavior of some elastomers 333
Ni X → Goh SH
Nishinaga A → Yoshimoto J
Nitta K-h → Nakatani H
Noël C → Spassky N
Nomura R → Wang J
Nuyken O, Rueda-Sanchez J, Voit B: Synthesis of graft copolymers by ring-opening polymerization of 2-nonyl- and 2-phenyl-2-oxazoline initiated by macroinitiatiors containing benzylchloride functions 657
Nyström B → Kjøniksen A-L

Oka M → Yoshimoto J
Önen A → Janco M
Ooi O → Shintani K
Ottenbrite RM → Yin R

Palmgren O → Kjøniksen A-L
Pasch H → Schlotterbeck G
Pennings AJ → de Groot JH
Percec V, Zhao M, Bae J-Y, Asandei AD, Hill DH: Synthesis of polyarylene homopolymers and copolymers via nickel(0)-catalyzed homocoupling of arylenebismesylates derived from bisphenols 515
Pereira RA, Mano EB, Dias ML, Acordi EB: Comparative study on the lamellar crystal structure of high and low density polyethylenes 707
Petermann J → Loos J
Petermann J → Yan S
Puig CC: On the cocrystallization phenomenon in blends of high density polyethylene and low density polyethylene 715
Puig JE → Rabelero M

Rabelero M, Zacarias M, Mendizabal E, Puig JE, Dominguez JM, Katime I: High-content polystyrene latex by microemulsion polymerization 695
Ramakrishnan S → Rema B
Regiani A → Campana Filho SP
Rema B, Ramakrishnan S: Studies of moisture induced crosslinking in a novel vinyl ether-maleic anhydride copolymer 537
Ren Y → Bo Z
Rincón G A: Photodegradation of chain halogenated polystyrene: Poly(*c*-chloro and *c*-bromostyrene)s 191
Roberts JE → Nelliappan V
Rueda-Sanchez J → Nuyken O

Sahara M, Nakamura N, Murakami A, Kurihara A, Doyama K, Yano S: Ordered structure in polyester elastomers containing quaterphenyl group 563
Sakamoto K → Yamada B
Salgado C. E → Cárdenas T. G
Sartori F → Collina G
Schauwienold A-M → Loos J
Schlotterbeck G, Pasch H, Albert K: On-line HPLC ^{1}H NMR coupling for the analysis of fatty alcohol ethoxylates 673
Schnabel W → Janco M
Schneider H → Knörgen M
Schneider HA → Bolsinger M
Schubert DW: Spin coating as a method for polymer molecular weight determination 177
Seidl PR → Vilar WD
Sekiguchi H → Gachard I
Sernetz FG, Mülhaupt R, Waymouth RM: Homo-, co- and terpolymerization of 1,5-hexadiene using a methylalumoxane activated mono-Cp-amido-complex 141
Shen J → Bo Z
Shintani K, Ooi O, Mori A, Kawakami Y: Dehydrogenative polycondensation of telechelically bis(dimethylsilyl) functionalized oligo(dimethylsiloxane)s or aromatics and 1,3,3,5,5,7,7,7-octamethyltetrasiloxane 1
Siddiqui JA → Yin R
Sikora A → Valentová H
Sipos L, Gunda T, Zsuga M: The role of complex formation in the anionic polymerization of l-lactide 609
Šmit I → Vukovic R
Soares BG → Gamboa KMN
Soga K → Nakatani H
Spaans CS → de Groot JH
Spassky N, Delgado AS, Noël C: Chirality induction in liquid crystalline side-chain polyethers prepared by copolymerization of oxiranes with mesogenic and non mesogenic groups 157
Suh K-D, Chon YS, Kim JY: Preparation of UV curable emulsions using PEG-modified urethane acrylates and their coating properties III: Effects of epoxy acrylate 287

Tagashira S → Yamada B
Takata T → Nakatani H
Tande T → Kjøniksen A-L
Teijón JM → García O
ten Brinke G → Kroeze E
Tian M → Zhang S
Tjong SC, Li WD, Li RKY: Impact and tensile dilatometric characteristics of polypropylene/high impact polypropylene blends 721
Tucker DJ → Ha NTH

Uryu T → Kato T
Uyama H → Ikeda R

Valentová H, Kašpar M, Hamplová V, Bouchal K, Ilavský M, Sikora A, Froelich D, Muller R: Dynamic mechanical behaviour of random copolymers of a LC-methacrylate and octyl methacrylate 219
Van Le P → Busfield WK
Ver Avadhani C, Chujo Y, Kuraoka K, Yazawa T: Polyamide-silica gel hybrids containing metal salts: Preparation via the sol-gel reaction 501
Vilar WD, Menezes SMC, Seidl PR: Characterization of hydroxyl-terminated polybutadiene. VI. Reactions with solvent during polymerization 311
Vilar WD, Menezes SMC, Seidl PR: Hydroxyl-terminated polybutadiene. IV. NMR assignments of three main hydroxylated end groups 327
Vilar WD, Moutinho MTM, Menezes SMC, Coutinho FMB: Characterization of hydroxyl-terminated polybutadiene. V. Struc-

ture of polymers produced by thermal and photochemical hydrogen peroxide decomposition 319
Vittoria V → Bove L
Voit B → Nuyken O
Vukovic R, Fles D, S˘mit I, Karasz FE, Waddon A: Smectic ordering in poly(4-maleimidocholesterylbenzoate), poly(6-maleimidocholesterylhexanoate) and alternating copolymers with styrene, α- and β-methylstyrene and phenylvinyl ethyl ether 347

Waddon A → Vukovic R
Wan Y → Mandras R
Wang J, Nomura R, Endo T: One-pot syntheses of water-soluble poly(oxamide)s 125
Waymouth RM → Sernetz FG
Whittaker AK → Lynch DE
Wildeboer BS → de Groot JH
Wu Z → Zhang S

Xi F → Liu W
Xi S → Bo Z

Yağci Y → Janco M
Yamada B, Tagashira S, Sakamoto K, Nagano Y, Miura Y: ESR study of the radical polymerization of styrene. 6. ESR spectra of propagating radicals from deuterated styrenes 339
Yan S → Loos J
Yan S, Petermann J, Yang D: Effect of lamellar thickness on the epitaxial crystallization of PE on oriented iPP films 87
Yang D → Yan S
Yang D → Zhang S
Yang M → Bo Z
Yano S → Kakuchi T
Yano S → Sahara M
Yazawa T → Ver Avadhani C
Yi X → Bo Z
Yin R, Ottenbrite RM, Siddiqui JA: Synthesis of polyorganosiloxane particles 23
Yoshimoto J, Nishinaga A, Oka M, Hayashi T: Theoretical conformational analysis of tetrapeptide Ac-Cys-Pro-Ala-Cys-NHMe with disulfide linkage 227
Yoshimoto J, Nishinaga A, Oka M, Hayashi T: Theoretical conformational analysis of tetrapeptide Ac-Cys-Pro-Gly-Cys-NHMe with disulfide linkage 109
Yosomiya R → Zhang S
Yuzhong L → Lin Y

Zacarias M → Rabelero M
Zhang G → Belfield KD
Zhang S, Zheng Y, Wu Z, Tian M, Yang D, Yosomiya R: The synthesis and thermotropic liquid crystalline behavior of the novel poly (aryl ether ketone)s containing chloro-side group 621
Zhang X → Bo Z
Zhao M → Percec V
Zheng Y → Zhang S
Zin WC → Kim H
Zsuga M → Sipos L

Indexed in *Current Contents*

Subject Index

Ac-Cys-Pro-Ala-Cys-NHMe 227
Ac-Cys-Pro-Gly-Cys-NHMe 109
4-(6-(Acryloyloxy)hexyloxy)benzoic acid 551
Aging process 101
AIBN/styrene 149
Air-water interface 257
N-Alkyl chitosan 387
Alkyl vinyl ethers, electro*N*-rich 27
4-*n*-Alkylstyrenes 43
N-Allylimidazole hydrochloride, methyldichlorosilane 371
Aluminoxanes 419
Amino acids 643
Antibacterial activity, chitosan 387
Aprotic polar polymers 379
Aramides 635
Arylenebismesylates, nickel(0)-catalyzed homocoupling 515
Aspartic acid 643
2,2′-Azobis(2-amidinopropane) dihydrochloride 295

Benzimidazole 627
Benzocaine 427
N-Benzoyl-L-arginine glycinamide 49
Benzyloxycarbonyl 643
Bicyclo[2.2.1]hept-2-ene 35
Biocatalysts 49
Biocompatibility 133, 365
–, blood 211
Biodegradable polyurethane ureas 211
Biomaterials 133
4,4′-Biphenol 621
9,9′-Bis(4-aminophenyl)florene 651
Bisallene 531
Bismesylates 515
Bisphenol A dicyanate ester, 13C labelled 433
Blends, spherulitic growth 601

Block copolymer 203
–, separation 681
Blood biocompatibility 211
Boron 531
Boron tribromide 273
Buckminsterfullerene 545
1,4-Butanediisocyanate 211
1,4-Butaneditrifluoromethane sulfonate 523
1-Butene 665
3-(t-Butoxycarbonyl)-1-vinylcaprolactam 241
t-Butyloxycarbonyl 643

Carbon black 95
– –, natural rubber 101
Carbon fiber 433
Carboxylic acid chlorides 7
Cetylpyridinium bromide 295
Cetyltrimethylammonium bromide 71, 411
Chemical amplification resists 241
Chemically induced phase separation 477
Chitin 387
Chitosan 71
–, quaternary ammonium salt 387
Chlorohydroquinone 621
p-(Chloromethyl)phenyl-trimethoxysilane 23
Chloromethylstyrene 657
Citraconic anhydride 569
Coatings 287
–, protective organic 249
Cold crystallization, poly(ethyleneterephthalate) 579
Conductivity, electrical 573
Copolyesters 563
Copper, corrosion inhibitor 249
Corrosion inhibitor 249
CPB 295
Critical adsorption point 681
18-Crown-6 609
CTAB 411
Cubane-1,4-dicarboxylic acid 651
Cyanate esters 433
Cyanoisopropyl radicals/styrene 149
Cyclodextrins, PEO 359
2-Cyclohexylethanol 235
Cyclooctatetraenes 651
Cyclosiloxane, ring-opening polymerization 165
Cystine 365

Degradation, enzymatic 365
Dendrimers 257, 613
Dextran 49
1,3-Di-*p*-aminophenyl-4-cyano-5-aminopyrazole 635
Diamine, pyrazole-ring containing 635
6,4′-Diamino-2-phenylbenzimidazole 627
Dielectric polymers 493
Diffusion coefficient 55
9,9′-Dihexylfluorene 169
4,4‴-Dihydroxy-p-quaterphenyl/ethylene glycol/adipic acid 563
Diisocyanates 125
3,5-Dimethoxy-4(2′-vinyloxyethoxy)benzylidenemalononitrile 27
Dimethyl-4-vinyloxymethyl-1,3-dioxolane 537
N,N-Dimethylaminoethylmetacrylate 587
Diode, blue light-emitting 169
t-Dipyridylporphyrin 523
Disulfide linkage 109, 227
4,4′-Diylaromatics 1
Dopants 573
Drug delivery 427
Drug solubilizers 359
Drug-delivery systems 643

EB(PS-block-EB)n block copolymers 203
EDA complex 569
Eicosane 689
Elastomeric materials 101
Elastomers 101, 319, 333
–, polyester, quaterphenyl 563
–, $[^{13}C]T_1$ ρ behavior 333
Electrical conductivity 573
Electrolyte precursor systems 63
Electrolytes 353
Electron donor-acceptor 569
Emulsion polymerization 695
Enzymatic degradation 365
Enzymatic polymerization 273
EPDM 545
Epoxies, solvent-modified 477
Epoxy acrylate 287
Epoxy/DGEBA, hydrogen bonding 439
Epoxy resins 439
– –, LC, hydrogen bonding 447
ESR 339
Ethene/1,5-hexadiene 141
Ethyl vinyl ethers, sterically hindered 27
N-Ethyl-3-hydroxymethylcarbazole 117
1,2-(9-Ethylcarbazol-3-yl)ethene 493
Ethylene 419
– propylene 555
Ethylene oxide 359, 673
Ethylene propylene diene monomer 545
Ethylene-1-butene, sequence distribution 665
N-2-Ethylhexylcarbazole 169
N-Ethyliminostilbene 493

Factor analysis 555
Fatty alcohol ethoxylates, NMR 673
Filler, particulate electrical conducting 95
Flory-Stockmayer model 461
5-Fluorouracil 55
Formaldehyde 613
Fracture toughness 477
Fullerene 545

Gellan 81
Glutathione reductase 365

Graft copolymers, ring-opening polymerization 657

HDPE 707,715
Heteroepitaxy 87
Hexadecyltrimethylammonium bromide 411
1,5-Hexadiene, methylalumoxane activated mono-Cp-amido-complex 141
Hexamethylcyclotrisiloxane 165
1,6-Hexanediisocyanate 211
1-(Hexyloxycarbonyl)ethyl 4-[4-(methacryloyloxy)benzoyloxy]benzoate 219
HI/I2 395
HIPP 721
Homo-poly(*m,p*-chloromethylstyrene) 657
HTPB 311, 319, 327, 455
Hydroboration 531
Hydrogel 55
1-Hydro-1,1,3,3,3-pentamethyldisiloxane 1
Hydrosilylation 371
4-{1′-(2″-Hydoxyethoxy)-5′-naphthyliminomethylidene}-4′nitrostilbene 265
Hydroxyl-terminated polybutadiene 455
Hyperbranching 613

Imaging plate, SAXS 469
Imidazole, vinyl silane, corrosion inhibitor 249
Impact modifiers 721
Ion conductors, polyether-based 63
iPP films 87
Isobutene 657
Isotropization transition 621

L-Lactide, anionic polymerization 609
Latex 295
–, solid-content 695
LC-methacrylate 219
LCE/DDS 447
-/DGEBA 439
LCPs, thermotropic 621
LDPE 587, 707, 715
-/PS 203
LED 169
Light-emitting diode 169
Liquid rubber 319
Liquiflex-H 327
Lithium (-)-menthoxide 509
Lithium (+)-PMP 509
LLDPE 665
Lysine 365, 643
Lysinediisocyanate 211

Macroinitiators 657
Maleic anhydride 537, 569
- -/styrene 595
Maleimides, *N*-substituted 509
MAO 303
Melting transition 621
Mesitylborane 531
Mesylates 515
Metal colloids 279
Metal poly(styrene-co-ethyl methacrylates) 279
Metallocenes 141
- catalysts 43
Methacryloyl chloride 7
4-{1′-(2″-Methacryloyloxyethoxy)-5′-naphthyliminomethylidene}-4′nitrostilbene 265
Methyl methacrylate 303, 681
Methyl oxazoline 7
Methylaluminoxane 303
Methylmaleic anhydride 569
Methylstyrene 347
–, liquid SO2 395
Methyltriethoxysilane 23
Microemulsion polymerization 695
Microemulsions 411
MMA 303, 681
$Mo(CO)_5PPh_3$/alkylaluminum catalysts 35
Moisture induced crosslinking 537
Molecular weight 177
Monolayer 257
Multicatalyst reactor granule technology 701
Multicomponent polymers, NMR 555

Natural rubber 101
Network formation 461
Networks, anisotropic conductive 551
Nickel acetylacetonate 303
Nickel(0)-catalyzed homocoupling 515
4-Nitrobenzoyl chloride 627
4-Nitrophenyl hydrazine 635
4-Nitro-1,2-phenylenediamine 627
NLO polymers 265
Nonlinear optical (NLO) polymers 265
2-Nonyl-2-oxazoline 657
Norbornadiene 35
Norbornene 35
Novolaks, hyperbranched 613

Octa(dimethylsiloxyl)octasilsesquioxane 15
Octamethyltetrasiloxane 1
Octyl methacrylate 219
Olefinic reagent, hydrosilylation 371
Olefins 35
–, homo-/copolymerization 419
–, sequential copolymerization 701
Oligo(dimethylsiloxane)s, bis(dimethylsilyl) functionalized 1
Oligo(ethylene oxide) 125
Organoboron polymers 531
Organosiloxane polymer 23
Oxazolines 7, 657
Oxirane 157
4-Oxy-5′-naphthyliminomethylidene}-4′nitrostilbene 265
4,4′-Oxydianiline 651

PAIs 627
Palladium dibenzylideneacetone 1

Papain 365
PBCVC 241
PCHEM 235
PDMS 165
PE 587
–, epitaxial crystallization 87
PEG 287
PEO 63, 353
Pepsin 365
Peptide syntheses, enzyme-catalyzed 49
Percolation threshold 95
PET 579
Phase separation, DHQ 563
PHEMA 55
Phenol-formaldehyd resins, hyperbranched 613
Phenyl oxazoline 7, 657
Phenylvinyl ethyl ether 347
Phospholipid polyurethanes 133
Photodegradation 191
Photoinitiated polymerization 165
Photoresists 241
PIB 15
PMMA 303, 601
PMUA 403
Poly chain-bromostyrene 191
Poly chain-chlorostyrene 191
Poly(alicycylmethyl methacrylate) 235
Poly(amide imides), benzimidazole-rings 627
Poly(aryl ether ketone)s, chloro-side group 621
Poly(benzophenoneimide)s, n-alkyloxymethyl side chains 689
Poly[butadiene-block-(styrene-block-butadiene)n] 203
Poly(3-(t-butoxycarbonyl)-1-vinylcaprolactam 241
Poly(butyl acrylate) 333
Poly(ε-caprolactone) 211
Poly(3,6-carbazolylmethylene)s 117
Poly(c-chloro and c-bromostyrene)s 191
Poly(cyclohexylethyl methacrylate) 235
Poly(L-cystyl-L-cystine) 427
Poly(2,6-dihydroxy-1,4-oxyphenylene) 273
Poly(2,6-dimethoxy-1,4-oxyphenylene) 273
Poly(*N,N*-dimethylacrylamide) 197
Poly(dimethylsiloxane) 165
Poly(epichlorhydrine) 353
Poly(ether sulfone) 197
Poly(ethylene oxide) 63, 125, 353, 359
Poly(ethyleneterephthalate) 579
Poly(2-ethyl-2-oxazoline) 197
Poly(hexamethylene sulfoxide) 379
Poly(2-hydroxyethyl methacrylate) hydrogels 55
Poly(4-maleimidocholesterylbenzoate) 347
Poly(6-maleimidocholesterylhexanoate) 347
Poly(methyl methacrylate) 303
Poly(4-methylstyrene) 43
Poly(*N*-methyl-*N*-vinylacetamide) 197
Poly(2-nonyl-2-oxazoline) 657
Poly[*N*-(3,4,5-tris(4-perfluorooctylbutyl-1-yloxy)benzyl)carbazole] 117
Poly(*N*-vinyl-2-pyrrolidone) 197
Poly(oxamide)s, water-soluble 125
Poly(phenylene oxide) 273
Poly(phenylethyl methacrylate) 235
Poly(2-phenyl-2-oxazoline) 657
Poly(styrene-co-methylstyrene) 43
Poly(thiopene) 551
Poly(vinylcarbazole) 169
Polyacrylate 551
Polyamide-silica gel hybrids 501
Polyamides, aromatic 635
–, cubane-1,4-dicarboxylic acid 651
–, nonpeptide diamine-diacid type 643
–, nonpeptidic amino acid-containing 365, 427
Polyanilinefurfural 573
Polyarylene 515
cis-Polybutadiene 333
Polybutadiene 455, 573
–, hydroxyl-terminated 311, 319, 327
Polycarbazole squaraine 493
Polychloroprene 333
Polycondensation 613
Polydiorganosiloxanes 371
Polyelectrolytes, cationic 387
Polyepichlorhydrine 63
Polyester elastomers 563
Polyether dendrimers, amphiphilic 257
Polyethers, electrolytes 63
–, LCSC 157
Polyethylene 587, 665
–, epitaxial crystallization 87
–, high/low density 715
–, lamellar crystal structure 707
–, UHMWPE 485
Polyethylene glycol 49, 287
Polyionenes, redox-active 523
Polyisobutylene 15
cis-Polyisoprene 333
Polymaleimides 347
Polymer electrolyte precursor systems 353
Polymethacrylate 265
–, alkylene spacers 235
Polyolefin elastomers 701
Polyorganosiloxane 165
- particles 23
Polyoxazoline 379, 501
Polyoxyethylene 287
Polyphosphazene 63
Polypropylene/high impact polypropylene 721
–, isotactic 721
–, oriented isotactic 87
–, syndiotactic 185
Polysaccharides 71
–, bacterial 81

Polysiloxane 165
–, pendant imidazole 371
Polysilylenes 1
Polystyrene 165, 177, 339, 455, 469
–, halogenated 191
- /styrene-butadiene 95
Polystyrene latex 295
– –, high-content 695
Polysulfides 379
Polysulfone 197
Polysulfoxides, aliphatic 379
Polyurethane gels, pH-sensitive 403
Polyurethane ureas, new biomedical 211
Polyurethanes 311
–, phosphatidylcholine analogues 133
Polyvinylidene fluoride 601
Porphyrins 523
Post-exposure delay/bake 241
PP 721
–, syndiotactic 185
PPG prepolymer/crosslinker 461
PPO 273
Pre-gel state 461
Prepolymer, trifunctional crosslinker 461
1,3-Propane sufone 125
Propellant fuel binder 455
Proteins, artificial functional 109
PS/PBD 95
-/SB 95
PVA 601
PVDF 601
Pyrazole-ring containing diamine 635
(S)-(+)-1-(2-Pyrrolidinylmethyl) pyrrolidine-lithium 509

Radical trapping technique 149
Relaxation time 333
Release, controlled 55
Resists 241
Rigid-rod polymers 689
ROMP 35

SAXS 469
SCLCPs 157
Semiconducting polymers, small band gap 493
Silanes, trifunctional 23
Silica gel 501
Small-angle X-ray scattering 469
Sodium 4-(bromomethyl)-benzenesulfonate 125
Sol-gel reaction 501
Spherulitic growth 601
Spin coating 177
Squaric acid 493
ST/AN/MA 595
Stars 15
Styrene 7, 149, 347, 569, 695
–, deuterated 339
–, emulsion polymerization 295
Styrene 6, radical polymerization 339
Styrene oxide, optically active 157
Styrene-ethyl methacrylate metal colloids 279
Styrene-maleic anhydride-acrylonitrile 595
Sulfone polymers 197
4,4′-Sulfonyldianiline 651
Surfactant, cationic 295
- mixtures 673
Sutures 643
Syndiotacticity 185

Tetraethyl orthosilicate 23
Tetrahydrofuran 681
Tetramethoxysilane 501
1,1,3,3-Tetramethyl-1,3-dihydro-1H-isoindol-2-yloxyl 149
Tetrapeptides 109, 227
Tetrasiloxanes, bifunctional 1
Thermoplastic polyolefin elastomers 701
Thermosets 439,447
–, porous 477
Thermotropic LCPs 621
Thexylborane 531
(3-Thienyl)undecyloxy]-4′-hydroxybiphenyl 551
TLCP 621
Toughness 477
Triad comonomers 665
sym-Triazine network 433
Tribological properties, UHMWPE 485
1,1,1-Trimethylolpropane trimethacrylate 55
N-Triphenylmethylmaleimide 509
Triphenylphosphite 651
Trypsin 49, 365

UAHG 403
UHMWPE 485
6-Undecanol 379
Urethane acrylate 403
- –, PEG-modified 287
UV curable emulsions 287
UV resists 241

Vanadium catalytic complexes 419
Vapor pressure osmometry 455
Vinyl acetate, ternary microemulsions 411
Vinyl ether-maleic anhydride 537
Vinyl silane 249
Vinyl trimethoxy silane 249
Viologens 523

Waterborne coatings 287
WAXS 707
Welan chain, stiffness 81
WLF equation 333

Ziegler-Natta catalysts 43, 303, 419